
SOVEREIGN MKIII

ASSEMBLY INSTRUCTIONS





Scan the QR code below for follow-along video instructions on assembling your Sovereign MKIII.



A power drill / screwdriver is recommended for assembling this product, allowing for an easier and faster build.




FELECTRIC LIFT OPTION


If you have chosen for the electric lift upgrade.
When installing the lift, you need to follow
the electric lift guide. This will be extra
documentation packed inside the lifter box.

Please refrain from testing the electric lift prior to completing assembly.

	2 902	20.00V	30
COMPONENTS		DESCRIPTION	QTY
c1		Cam Bolt 30mm	46
с3	9	Cam Ø15mm	
c4	© Cam Ø15X10mm		4
d1		Dowel Ø8 x 30mm	48
c2	0	Cover	46
s1	@m>	Screw Ø4x14mm CS ZP	56
s2	0	Screw Ø3x14mm CS ZP	24
s3		Screw Ø3.5x20mm CS ZP	10
s4	(Frankline)	Screw Ø4 x 25mm C/S	8
s5	®_manas-	Screw Ø3.5 x 30mm	8
g2	@	Gate Leg Button	1
g1	0	Castor Washer	9
t2	5	Castor Ø50	6
t1		Castor Ø50 Lockable	2
t3	\$	Castor Ø50 Extension	4
r3	S.	Castor Spanner	1
L2		Lock Striker	1
L1		Lock & Key & Escutcheon	1
h3	C. C	Butt Hinge	2
h2		Flush Hinge (52mm)	6
h4		Flap Hinge	3
b2	0	Handle Screw	4
h1		Bow Handle	2
d		Door Hook (125mm)	2
	5	Glue Bottle	2

COMPONENTS	DESCRIPTION	QTY	
	Insert Holder	1	
· · · · ·	Lifter Rail (Right)	1	
V	Lifter Rail (Left)	1	
	Lifter (692mm)	1	
	Ramp	3	
	Equalizer	2	
	Door Plate	2	
Q	Swivel Tray Bracket	2	
	Door Shelf (Left)	1	
	Door Shelf (Right)	1	
	Large Bucket (Tinted)	1	
	Swivel Tray (Ass.)	2	
	Cotton Reel Insert	2	
(a)	Pin Cushion Foam	2	
	Basket Insert	1	





Assembly Steps
1. Screw the Cam Bolts Into the Bottom Panel as shown.


Cam Bolt (x2)

- 2. Place 2 to 3 drops of glue into each dowel hole and insert the Dowels.
- 3. Insert the Cams ensuring the arrow points to the closest edge
- 4. Screw R/H Lifter Rail onto End using Screw s1 Ø4x14mm


Dowel


Ø8x30mm

Lifter Rail will be level with the panel end.





SOVEREIGN MKIII Page 4






SOVEREIGN MKIII Page 5








Assembly Steps
1. Locate the Lifter on the Lifter Board and secure using Screw s1 Ø4x14mm CS

Note: Make sure the Lifter and Lifter Board are orientated as shown











 Position Lifter guides over Rails and gently slide the Lifter into position.


Note:

Ensure all 4 plastic guides (2 on each side are positioned correctly over the rails. Check the orientation with the illustration.





14. Top & Cabinet Assembly



Assembly Steps

- Loop Cable through Metal
 Tab on Lifter Rails and
 secure.
- Push Lifter down and click into first stop position.

Note:

When the Lifter is clicked into this first stop position a small block of timber will disengage from the rear of the Lifter.


Discard block

Assembly Steps


- Place 2 to 3 drops of Glue in the Dowel holes in the Top & Flap assembly.
- Position the Cam Bolts in the Top Panel over the Cam holes in the Ends & Division & Back and insert. Secure by turning the Cams a half turn clockwise.
- Rotate Cabinet onto its
 Back and then Top carefully.


Note


It will require 2 people to lift and rotate cabinet onto its top





SOVEREIGN MKIII Page 10

















6. Place 4 to 5 drops of glue onto the Drawer Handle and press fit in the L/H Caddy End.

